

Copyright and trademark information

Copyright information

Copyright © 2004 Network Appliance, Inc.; copyright

- `kernellog`—Information on kernel-log messages
- `lp`—Information on storage pools
- `log`—Information on errors in log messages
- `ndmp`—Information on NDMP processes
- `net`—Information on network operations
- `raid`—Information on RAID components
- `rdb`—Information on the Replicated Database
- `rdbEvents`

Message: The UPS estimated run time remaining is normal. The time remaining is *unsigned_number* minutes. The threshold is *unsigned_number*. old value (*unsigned_number*)

Module: alarm

Index: 6

Severity: critical

Module: bootimage

Index: 7

Severity: warning

Message: Error while trying to find default image; Error Reading File *text_string*; *text_string*.

Module: bootimage

Index: 8

Severity: warning

Message: Cannot change the default boot image for next reboot when a synchronization has been scheduled for next reboot.

CLI Messages

Module: cli

Identifier: 9

Module: cli

Index: 1

Severity: warning

Message: Error: *text_string* is ambiguous.

Module: cli

Index: 2

Severity: warning

Message: Error: *text_string* has already been parsed.

Module: cli

Index: 10

Severity: warning

Message: Error: *text_string* is unknown.

Module: cli

Index: 31

Severity: warning

Message: Error: there are more arguments than fields.

D-Blade Messages

Module: dblade

Identifier: 4

Module: dblade

Index: 1

Index: 20

Severity: error

Message: Bad superblock on storage pool with uuid *text_string*

Action: The server was not able to read the superblock from a storage pool. If there is a connectivity problem with the pool (for example, a disconnected fiber or a pulled RAID c93(e is a)TJ-1you If thr0328 -1cently08 Tc-0.08415:

Index: 33

Severity: error

Message: Failed to update superblock while going offline for storage pool *text_string*

Action: If there is an unintentional loss of connectivity to the disks, restore connectivity. If you intentionally disconnected to the disks, no action is needed; however, note that the pool does not remain offline when

Severity: critical

Message:

Module: dblade

Index: 47

Severity: critical

Message: NVRAM discarded due to bad anchor page.

Action: Determine whether or not the pools on this server have a failover partner. If so, and if the partner servers can bring some of the pools online, let the other servers take over.

D-Blade Incremental Copy Messages

Module `deincrcopy`

Index: 17

Severity: critical

Message: Channel *integer_number* down

Cause: The channel is down and devices cannot be accessed through it.

Action: None.

Module:

Module: hamgr

Index: 5

Severity: critical

Message: AC power failure. spinserver on ups.

Cause:

Index: 3

Severity: notice

Message:

Module: net
Index: 2
Severity: warning
Message:

Module: net

Index: 19

Severity: warning

Message: Encountered an error condition while attempting to make an hamgr connection to `'text_string'`. Error: `'text_string'`.

Module: net

Index: 20

Severity: warning

Message: Cannot unbind interface `text_string`. `text_string`

Action:

Severity: informational

Message: Disk (sys: *text_string* chn: *unsigned_number* tgt *unsigned_number*) is not proved by the vendor.

Module:

Module: raid

Index: 43

Severity: error

Message: RAID set (sys: *text_string* set: *unsigned_number*) is critical.

Cause: A disk failed.

Action: Replace the failed disk and start a rebuild, if required.

Module: raid

Index: 44

Severity: informational

Message: RAID set (sys: *text_string* set: *unsigned_number*) has been placed online.

Module: raid

Index: 45

Severity: informational

Message: Initialization has started on RAID set (sys:

Message: Dual-active negotiation failed due to different controller board types on System (sys: *text_string*).

Cause: The board types of the controllers differ.

Module:

Message: The application version is incompatible with the on-disk database version; possible upgrade issue.

Module:

Message: The operation requires a record that has been freed from its transactional context.

Module: rdb

Index: 25

Severity: notice

Message: This operation is only available through the management RDB unit.

Module: rdb

Index: 26

Severity: notice

Message: The primitive type of a record prs i TD icy daime atnabyd tpe

Module: rdb

Index: 76

Severity: notice

Message: The B unis is ffiine [(no)5.5(cur re)5.5ntnly qe tie

Module: rdb

Index: 86

Severity: notice

Message: The operation requires nm is trasna cifiedstxon isi

Module: rdb

Index: 96

Severity: notice

Message:

Module: rdb

Index:

Severity: notice

Message: noe operdbi d ratio5(tice)oequiModule:

Index:

Severity: notice

Message:

Message: Internal status: The operation requires that the

Message: RDB-HA configuration differs from that asserted by the operation; (example: attempt to add a third node while in HA config; attempt to unconfigure HA when node configured; etc.

Module: rdb

Index: 84

Severity: notice

Message: Internal status: HA_CONFIG_REQUIRED - this status code is not currently being used.

Module: rdb

Index: 85

Severity: notice

Message: Internal status: Transient failure encountered during

Action:

Module: rootfilesystem
Index: 24
Severity: warning
Message:

Message:

Module: spinaccess
Index: 4
Severity: error
Message:

Module: spinaccess

Index: 10

Severity: error

Message: Error communicating with CIFS server: *text_string*

Cause: This usually indicates that the CIFS configuration server is not running.

Action:

Module:

Message: Virtual server '*text_string*' could not be found

Module: spinaccess

Index: 34

Severity: warning

Message: Error enumerating CIFS servers: *text_string*

Module: spinaccess

Index: 35

Severity: warning

Message: Error enumerating CIFS interfaces:

Module: spinaccess

Index: 42

Severity: error

Message: Error removing visible domain: *text_string*

Action: Check the CIFS configuration server and the CIFS stream to ensure that both are runn

Action: Check the CIFS configuration server and the CIFS stream to ensure that both are running and in good health.

Module: spinaccess

Index: 64

Severity: error

Cause:

Index: 134

Severity: error

Message: Unable to lookup domain SID for domain '*text_string*' from the primary domain controller '*text_string*' at '*text_string*': *text_string*

Action: Verify that the domain controller is accessible from this node.

Module: spinaccess

Index: 135

Severity: error

Message: Backup domain controller '*hawaii@numberg*

with network address '*text_string*' and net mask '*text_string*'
could not be enabled.

Module: spinaccess

Message: yp_match reported error *integer_number* when looking up

Severity: warning

Message: NIS Server defined, but no CIFS Server for virtual server *text_string*

Module: spinaccess

Index: 219

Severity: warning

Message: Unable to set the NIS domain for virtual server '*text_string*':

Severity: N/A

Message:

Index: 10

Severity: notice

Message:

Module: streamdaemons
Index: 27
Severity: N/A
Message: Invalid BDC name

Module: streamdaemons
Index: 28
Severity: N/A
Message: Invalid Machine Password

Module: streamdaemons
Index: 29
Severity: N/A
Message: Server Not Found

Module: streamdaemons
Index: 30
Severity: N/A
Message: Duplicate Server Name

Module: streamdaemons
Index: 31
Severity: N/A
Message: Invalid Virtual Interface Mask

Module: streamdaemons
Index: 32
Severity: N/A
Message: SID already in use

Module: streamdaemons
Index: 33
Severity: N/A
Message: Unablr[(Us-1.1858i5.5(usIeD0.0001 Tc0 Tw 1 4 TD0 Ti 24()Tj/U

Module: streamdaemons
Index: 32

Severity: N/A
Message:

Index:

Module: streamdaemons

Severity: N/A

Message:

Module: streamdaemons

Index: 97

Severity: N/A

Message: LSA_STATUS_OUT_OF_MEMORY

Module: streamdaemons

Index: 98

Severity: N/A

Message: LSA_STATUS_INVALID_CONNECTION

Module: streamdaemons

Index: 99

Severity: N/A

Message: LSA_STATUS_BUFFER_TOO_SMALL

Module: streamdaemons

Index: 100

Severity: N/A

Message: LSA_STATUS_INVALID_SID_REVISION

Module: streamdaemons

Index: 101

Severity: N/A

Message: LSA_STATUS_INVALID_SA_COUNT

Module: streamdaemons

Index: 102

Severity: N/A

Message: LSA_STATUS_INVALID_MEMORY_BUFFER

Module: streamdaemons

Index: 103

Severity: N/A

Message:

Message: *text_string*: Insufficient memory to allocate
text_string

Module: streamdut TD0 s63.86340.8033 -1.181 gs-0.00(Indexessage:)Tj/TT
g

Module: streamdut TD0 s63.86340.8033 -1.181 gs-0.00(Indexessage:)Tj/TT2254 13.945
gign_5tign_numb5tmbg

Message:

Module: tests

Index: 10

Severity: critical

Message: Loading and indexing the database(2ctuailed wcr)5.5(h statcr)5

Severity: debug

Severity: debug
Message: Returning vfsid *unsigned_number*

Module: vldb
Index: 117
Severity: debug
Message: Looking up root vfs for vserver *number*.

Module: vldb
Index: 118
Severity: warning
Message: VFS root for vserver *number* not found.

Module: vldb
Index: 119
Severity: debug
Message: Vfsid for vserver *number* root VFS is *unsigned_number*.

Module: vldb
Index: 120
Severity: debug
Message: LP for vserver *number* root VFS is *text_string*.

Module: vldb
Index: 121
Severity: debug
Message: Processing vfsname lookup.

Module: vldb
Index: 122
Severity: warning
Message: VFS for vfsname *text_string* not found.

Module: vldb
Index: 123
Severity: debug
Message: LP for vfsname *text_string* VFS is *text_string*.

Module: vldb
Index: 124
Severity: debug
Message: LP for vfsname *text_string* VFS is

Message:

Index: 16
Severity: error
Message: Sink VFS exists

Module: vodClient
Index: 17
Severity: error
Message: VLDB error

Module: vodClient
Index: 18
Severity: informational
Message: job initializing

Module: vodClient
Index: 19
Severity: error
Message: Not Enough Space On SinkLP to Start the Move

Module: vodClient
Index: 20
Severity: error
Message: Dldb get host

Module: vodClient
Index: 21
Severity: error
Message: Storage pool list

Module: vodClient
Index: 22
Severity: error
Message: Vldb lookup

Module: vodClient
Index: 23
Severity: error
Message: Vldb new VFS id

Module: vodClient
Index: 24
Severity: error
Message: Vldb create record

Module: vodClient
Index: 25
Severity: error
Message: Vldb delete record

Module: vodClient
Index: 26
Severity: error

Index: 68

Severity: error

Message: vldb create record

Module: vodClient
Index: 99
Severity: error
Message: conflict with existing VFS operation

Module: vodClient
Index: 100
Severity: error
Message: same storage pool

Module: vodClient
Index: 101
Severity: error
Message: no RPC client to DLDB server

Module: vodClient
Index: 102
Severity: error
Message: no RPC client to Dblade Volume IncrementalCopy server

Module: vodClient
Index: 103
Severity: error
Message: unexpected multiple records from VLDB lookup

Module: vodClient
Index: 104
Severity: error
Message: Host entry is not found

Module: vodClient
Index: 105
Severity: error
Message: Dump label can not be NULL

Module: vodClient
Index: 106
Severity: error
Message: Dump label is invalid

Module: vodClient
Index: 107
Severity: error
Message: Invalid VFS Id

Module: vodClient
Index: 108
Severity: error
Message: Not supported

Module: vodClient
Index: 109

